

Cattle Vaccine Comparison Chart

Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows		IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal	
Respiratory/Respiratory Combinations																																					
■	◆		Bar Somnus-2P									X	X	X																					2 ml	IM	21 days
	◆		Bar-Vac-7/Somnus									X									X														5 ml	SQ	21 days
■	◆		Bovi-Sera Serum Antibodies										X	X	X			X																	20 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold 5	L	L	L	L	L																											2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold BVD		L	L																													2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold FP 5	L	L	L	L	L																											2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold FP 5 L5	L	L	L	L	L	X																										2 ml	IM	21 days
♥	●		Bovi-Shield Gold FP 5 L5 HB	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold FP 5 VL5	L	L	L	L	L	X		X																								2 ml	IM	21 days
♥	●		Bovi-Shield Gold IBR-BVD	L	L	L																													2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold One Shot	L	L	L	L	L							X																				2 ml	SQ	21 days
■	◆		Bovilis Nasalgen 3	L			L	L																											2 ml	IN	21 days
■	◆		Bovilis Nasalgen 3-PMH	L			L	L					C	C																					2 ml	IN	21 days
■			Bovilis Vista BVD CFP		L	L																													2 ml	SQ	21 days
	◆		CattleMaster 4+VL5	L	X		L	L	X		X																								5 ml	IM	21 days
■	◆		CattleMaster Gold FP 5	L	X	X	L	L																											2 ml	SQ	21 days
■	◆		CattleMaster Gold FP 5 L5	L	X	X	L	L	X																										5 ml	SQ	21 days
	♥		Express 5	L	L	L	L	L																											2 ml	SQ	21 days
	♥		Express 5-HS	L	L	L	L	L				X																							2 ml	SQ	21 days
	♥		Express FP 5-VL5	L	L	L	L	L	X	X	X																								2 ml	IM, SQ	21 days
	♥		Express FP 10	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days
■	◆		Inforce 3	L			L	L																											2 ml	IN	21 days
	◆		Mannheimia Haemolytica										X	X																					2 ml	SQ	21 days
	◆		Master Guard 10 HB	X	X	X	L	L	X	X																									3 ml	IM, SQ	21 days
	◆		Myco-B One Dose																								X								2 ml	SQ	60 days
■	◆		Nasalgen IP	L			L																												2 ml	IN	21 days
			Nuplura PH																		X														2 ml	SQ	60 days
		√	Nuplura PH +3	L	L	L															X														2 ml	SQ	60 days
		√	Nuplura PH +BVD		L	L															X														2 ml	SQ	60 days
■	◆		Once PMH IN												C	C																			2 ml	IN	21 days
■	◆		Once PMH SQ												C	C																			2 ml	SQ	21 days
■	◆		One Shot												X																				2 ml	SQ	21 days
♥	●		One Shot BVD		L	L									L																				2 ml	SQ	21 days
		√	PregGuard Gold FP 10	L	L	L	L		X		X																								2 ml	IM	21 days
	◆		Presponse HM										X	X																					2 ml	IM	21 days
	◆		Presponse SQ												X																				2 ml	SQ	21 days
	◆		Pulmo-Guard PH-M										X	X																					2 ml	SQ	21 days
	◆		Pulmo-Guard PHM-1										X	X																					2 ml	SQ	60 days
	●		Pyramid 5	L	L	L	L	L																											2 ml	SQ	21 days
	●		Pyramid 5 + Presponse SQ	L	L	L	L	L							X																				2 ml	SQ	21 days
♥	●		Pyramid 10	L	L	L	L	L	X																										2 ml	IM, SQ	21 days
			RESPIVax 3 + PH-M	L	L	L									L	L																			2 ml	SQ	21 days
			RESPIVax 5	L	L	L	L	L																											2 ml	SQ	21 days
			RESPIVax 5 + PH-M	L	L	L	L	L							L	L																			2 ml	SQ	21 days
■			Somnu Shield									X																							2 ml	IM, SQ	21 days
■	◆		Somubac									X																							2 ml	SQ	21 days
		√	Titanium 3	L	L	L																													2 ml	IM, SQ	21 days
	♥		Titanium 5	L	L	L	L	L																											2 ml	SQ	21 days
	♥		Titanium 5 L5 HB	L	L	L	L	L	X	X																									2 ml	SQ	21 days
	◆		Triangle 4+PH-K	X	X		X	X							X																				5 ml	SQ	21 days
	◆		Triangle 5	X	X	X	X	X																											2 ml	IM, SQ	21 days

Cattle Vaccine Comparison Chart

Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows	IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal		
◆		Triangle 10 HB	X	X	X	X	X	X	X	X																								5 ml	IM, SQ	21 days	
◆		Vira Shield 4+VL5 HB	X	X	X			X	X	X																									5 ml	SQ	60 days
◆		Vira Shield 6	X	X	X	X	X																												5 ml	SQ	60 days
◆		Vira Shield 6+L5	X	X	X	X	X	X																											5 ml	SQ	60 days
◆		Vira Shield 6+L5 HB	X	X	X	X	X	X	X																										5 ml	SQ	60 days
◆		Vira Shield 6+L5 HB Somnus	X	X	X	X	X	X	X		X																								5 ml	IM	60 days
◆		Vira Shield 6+Somnus	X	X	X	X	X				X																								5 ml	IM	60 days
◆		Vira Shield 6+VL5	X	X	X	X	X	X	X		X																								5 ml	SQ	60 days
◆		Vira Shield 6+VL5 HB	X	X	X	X	X	X	X	X	X																								5 ml	SQ	60 days
◆		Vira Shield 6+VL5 HB Somnus	X	X	X	X	X	X	X	X	X	X																							5 ml	IM	60 days
◆		Vira Shield 6+VL5 Somnus	X	X	X	X	X	X	X	X	X	X																							5 ml	IM	60 days
◆		Vista 5 L5 SQ	L	L	L	L	L	X	X																									2 ml	SQ	21 days	
◆		Vista 5 SQ	L	L	L	L	L																											2 ml	SQ	21 days	
◆		Vista 5 VL5 SQ	L	L	L	L	L	X	X	X																								2 ml	SQ	21 days	
◆		Vista Once SQ	L	L	L	L	L							C	C																			2 ml	SQ	21 days	
Salmonella																																					
■		EnterVene-d																																	2 ml	SQ	21 days
■	◆	Salmonella Dublin-Typhimurium Bacterin																X																	2 ml	SQ	21 days
	◆	Vaxxon SRP Salmonella																X																	2 ml	SQ	60 days
Clostridial /Clostridial Combinations																																					
	◆	20/20 Vision 7 with SPUR																				X													2 ml	SQ	21 days
	◆	Alpha-7																			X														2 ml	SQ	60 days
■	◆	Alpha-7/MB-1																			X														2 ml	SQ	60 days
	◆	Bar-Vac 7																			X														5 ml	SQ	21 days
	◆	Bar-Vac-7/Somnus									X										X														5 ml	SQ	21 days
	◆	Bar-Vac CD																X																	5 ml	SQ	21 days
	◆	Bar-Vac CD/T																X						X											5 ml	SQ	21 days
	◆	Caliber 7																		X															2 ml	SQ	21 days
	◆	Cavalry 9																					X												2 ml	SQ	21 days
	◆	Clostridium Perfringens Type A Toxoid																						X											2 ml	SQ	21 days
■	◆	Clostridium Perfringens Types C & D Antitoxin																	X																25 ml	SQ	21 days
	◆	Covexin 8																				X													5 ml	IM, SQ	21 days
	◆	One Shot Ultra 7										X									X														2 ml	SQ	21 days
	◆	One Shot Ultra 8										X										X													2 ml	SQ	21 days
	◆	Piliguard Pinkeye+7																			X						X								5 ml	SQ	21 days
	◆	Ultrabac 7																			X														5 ml	SQ	21 days
	◆	Ultrabac 7/Somubac									X										X														5 ml	SQ	21 days
	◆	Ultrabac 8																				X													5 ml	SQ	21 days
	◆	Ultrabac CD																X																	2 ml	SQ	21 days
	◆	UltraChoice 7																		X															2 ml	SQ	21 days
	◆	UltraChoice 8																				X													2 ml	SQ	21 days
	◆	Vision 7 with SPUR																			X														2 ml	SQ	21 days
	◆	Vision 7 Somnus with SPUR									X										X														2 ml	SQ	21 days
	◆	Vision 8 with SPUR																				X													2 ml	SQ	21 days
	◆	Vision CD-T																	X					X											2 ml	SQ	21 days
Lepto & Vibrio																																					
■		Citadel L5						X																											2 ml	IM, SQ	21 days
	◆	Citadel VL5						X	X																										2 ml	SQ	21 days
	◆	L5 SQ						X																											2 ml	SQ	21 days
	◆	Lepto Shield 5						X																											2 ml	IM	21 days
	◆	Leptoferm-5						X																											2 ml	IM	21 days
	◆	ReproSTAR L5 HB						X	X																										2 ml	SQ	60 days

Cattle Vaccine Comparison Chart

Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows	L Modified Live Vaccine X Killed Vaccine C Avirulent Live Culture ◆ Safe for Pregnant Cows ◆ Safe for Newborn Calves ◆ Safe for newborn calves if dam vaccinated prebreeding according to label ◆ Safe for pregnant cow if vaccinated prebreeding according to label ◆ Safe for pregnant cows or calves nursing pregnant cows if females were vaccinated pre-breeding according to label	IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal										
◆			ReproSTAR VL5 HB						X	X	X																										2 ml	IM	60 days							
◆	◆		Spirovac							X																											2 ml	SQ	21 days							
◆	◆		Spirovac L5						X	X																											2 ml	IM, SQ	21 days							
◆	◆		Spirovac VL5						X	X	X																										5 ml	IM, SQ	21 days							
◆	◆		StayBred VL5						X		X																										2 ml	IM	21 days							
◆	◆		VL5 SQ						X	X	X																										2 ml	SQ	21 days							
◆	◆		Vib Shield Plus L5						X		X																										2 ml	IM	60 days							
Pinkeye																																														
◆	◆		20/20 Vision 7 with SPUR																																				2 ml	SQ	21 days					
◆	◆		Alpha-7/MB-1																																				2 ml	SQ	60 days					
◆	◆		I-Site XP																																				2 ml	SQ	21 days					
◆	◆		Moraxella Bovoculi Bacterin - AgriLabs																																				2 ml	SQ	21 days					
◆	◆		Moraxella Bovoculi Bacterin - Merck																																				2 ml	SQ	21 days					
◆	◆		Ocu-guard MB-1																																				2 ml	SQ	21 days					
◆	◆		Piliguard Pinkeye-1 TRIVALENT																																				2 ml	IM, SQ	60 days					
◆	◆		Piliguard Pinkeye +7																																				5 ml	SQ	21 days					
◆	◆		Pinkeye Shield XT4																																				2 ml	IM	60 days					
◆	◆		Solidbac Pinkeye IR/PR																																				--	SQ	21 days					
Scours																																														
◆	◆		Bovilis Coronavirus																																					2 ml	IN	21 days				
◆	◆		Bovine Pili Shield+C																																						1 ml	IM	60 days			
◆	◆		Calf-Guard																																						3 ml	O	21 days			
◆	◆		First Defense Boluses																																						1 bol	O	0 days			
◆	◆		First Defense Dual-Force																																						1 ds	O	0 days			
◆	◆		First Defense Technology Concentrate																																						1 scp	O	0 days			
◆	◆		First Defense Tri-Shield																																						1 ds	O	0 days			
◆	◆		Guardian																																						2 ml	SQ	60 days			
◆	◆		Scour Bos 4																																						2 ml	IM	60 days			
◆	◆		Scour Bos 9																																						2 ml	IM	60 days			
◆	◆		ScourGuard 4K																																						2 ml	IM	21 days			
◆	◆		ScourGuard 4KC																																						2 ml	IM	21 days			
Mastitis Prevention																																														
◆	◆		Bovilis J-5																																						5 ml	SQ	60 days			
◆	◆		ENDOVAC-Beef																																							2 ml	IM	21 days		
◆	◆		ENDOVAC-Dairy																																							2 ml	IM	21 days		
◆	◆		Enviracor J-5																																							5 ml	SQ	60 days		
◆	◆		J-Vac																																							2 ml	IM, SQ	21 days		
◆	◆		Vaxxon SRP Klebsiella																																							2 ml	SQ	60 days		
Footrot & Warts																																														
◆	◆		Fusogard																																								2 ml	SQ	21 days	
◆	◆		Serpens Species Bacterin																																								5 ml	SQ	21 days	
◆	◆		Wart Vaccine																																								10 ml	SQ	21 days	
Tetanus																																														
◆	◆		Tetanus Antitoxin																																								5 ml	IM, SQ	21 days	
◆	◆		Tetanus Toxoid Concentrate																																								1 ml	IM	21 days	
Rabies																																														
◆	◆		Imrab 3																																									2 ml	IM, SQ	21 days
◆	◆		IMRAB Large Animal																																								2 ml	IM, SQ	21 days	
◆	◆		Nobivac 3-Rabies																																								2 ml	IM	21 days	