

Cattle Vaccine Comparison Chart

Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows		IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal	
Respiratory/Respiratory Combinations																																					
◆	◆		Bar Somnus-2P									X	X	X																				2 ml	IM	21 days	
	◆		Bar-Vac-7/Somnus									X									X													5 ml	SQ	21 days	
◆	◆		Bovi-Sera Serum Antibodies										X	X	X			X																20 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold 5	L	L	L	L	L																										2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold BVD		L	L																												2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold FP 5	L	L	L	L	L																											2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold FP 5 L5	L	L	L	L	L	X													X													2 ml	IM	21 days
♥	●		Bovi-Shield Gold FP 5 L5 HB	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold FP 5 VL5	L	L	L	L	L	X		X																								2 ml	IM	21 days
♥	●		Bovi-Shield Gold IBR-BVD	L	L	L																													2 ml	IM, SQ	21 days
♥	●		Bovi-Shield Gold One Shot	L	L	L	L	L						X																					2 ml	SQ	21 days
◆	◆		Bovilis Nasalgen 3	L			L	L																											2 ml	IN	21 days
◆	◆		Bovilis Nasalgen 3-PMH	L			L	L					C	C																					2 ml	IN	21 days
◆	◆		Bovilis Once PMH IN										C	C																					2 ml	IN	21 days
◆	◆		Bovilis Once PMH SQ										C	C																					2 ml	SQ	21 days
	◆		Bovilis Vista 5 L5 SQ CFP	L	L	L	L	L	X	X																									2 ml	SQ	21 days
	◆		Bovilis Vista 5 SQ	L	L	L	L	L																											2 ml	SQ	21 days
	◆		Bovilis Vista 5 VL5 SQ CFP	L	L	L	L	L	X	X	X																								2 ml	SQ	21 days
◆			Bovilis Vista BVD CFP		L	L																													2 ml	SQ	21 days
	◆		Bovilis Vista Once SQ	L	L	L	L	L					C	C																					2 ml	SQ	21 days
	◆		CattleMaster 4+VL5	L	X		L	L	X		X																								5 ml	IM	21 days
◆	◆		CattleMaster Gold FP 5	L	X	X	L	L																											2 ml	SQ	21 days
◆	◆		CattleMaster Gold FP 5 L5	L	X	X	L	L	X																										5 ml	SQ	21 days
♥			Express 5	L	L	L	L	L																											2 ml	SQ	21 days
♥			Express 5-HS	L	L	L	L	L			X																								2 ml	SQ	21 days
♥			Express FP 5-VL5	L	L	L	L	L	X	X	X																								2 ml	IM, SQ	21 days
♥			Express FP 10 HB	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days
◆	◆		Inforce 3	L			L	L																											2 ml	IN	21 days
	◆		Mannheimia Haemolytica									X	X																						2 ml	SQ	21 days
	◆		Master Guard 10 HB	X	X	X	L	L	X	X																									3 ml	IM, SQ	21 days
	◆		Myco-B One Dose																								X								2 ml	SQ	60 days
◆	◆		Nasalgen IP	L			L																												2 ml	IN	21 days
			Nuplura PH										X																						2 ml	SQ	60 days
◆	◆		One Shot										X																						2 ml	SQ	21 days
♥	●		One Shot BVD		L	L							L																						2 ml	SQ	21 days
		√	PregGuard Gold FP 10	L	L	L	L		X	X																									2 ml	IM	21 days
	◆		Presponse HM									X	X																						2 ml	IM	21 days
	◆		Presponse SQ										X																						2 ml	SQ	21 days
	◆		Pulmo-Guard PH-M									X	X																						2 ml	SQ	21 days
	◆		Pulmo-Guard PHM-1									X	X																						2 ml	SQ	60 days
	●		Pyramid 5	L	L	L	L	L																											2 ml	SQ	21 days
	●		Pyramid 5 + Presponse SQ	L	L	L	L	L					X																						2 ml	SQ	21 days
♥	●		Pyramid 10 HB	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days
			RESPIVax 5	L	L	L	L	L																											2 ml	SQ	21 days
◆			Somnu Shield									X																							2 ml	IM, SQ	21 days
◆	◆		Somubac									X																							2 ml	SQ	21 days
		√	Titanium 3	L	L	L																													2 ml	IM, SQ	21 days

Cattle Vaccine Comparison Chart

Safe for Newborn Calves																				Dose	Route of Administration	Slaughter Withdrawal														
Safe for Newborn Calves	Safe for Pregnant Cows		DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows	IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia				Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies
			L	L	L	L	L																											2 ml	SQ	21 days
			L	L	L	L	L	X	X																									2 ml	SQ	21 days
			X	X		X	X						X																					5 ml	SQ	21 days
			X	X	X	X	X																											2 ml	IM, SQ	21 days
			X	X	X	X	X	X	X																									5 ml	IM, SQ	21 days
			X	X	X			X	X	X																								5 ml	SQ	60 days
			X	X	X	X	X																											5 ml	SQ	60 days
			X	X	X	X	X	X	X																									5 ml	SQ	60 days
			X	X	X	X	X	X	X			X																						5 ml	IM	60 days
			X	X	X	X	X				X																							5 ml	IM	60 days
			X	X	X	X	X	X	X	X		X																						5 ml	SQ	60 days
			X	X	X	X	X	X	X	X	X	X	X																					5 ml	IM	60 days
			X	X	X	X	X	X	X	X	X	X	X																					5 ml	IM	60 days
Salmonella																																				
																			C															2 ml	SQ	21 days
																			X															2 ml	SQ	21 days
																			X															2 ml	SQ	60 days
Clostridial /Clostridial Combinations																																				
																						X					X							2 ml	SQ	21 days
																						X												2 ml	SQ	60 days
																						X					X							2 ml	SQ	60 days
																						X												5 ml	SQ	21 days
													X									X												5 ml	SQ	21 days
																						X					X							5 ml	SQ	21 days
																						X					X							2 ml	SQ	21 days
																						X					X							2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												25 ml	SQ	21 days
																									X									5 ml	IM, SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	SQ	21 days
																						X												2 ml	IM, SQ	21 days
																						X	X											2 ml	SQ	21 days

Cattle Vaccine Comparison Chart

			IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal																														
Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows	L Modified Live Vaccine X Killed Vaccine C Avirulent Live Culture ♦ Safe for Pregnant Cows ■ Safe for Newborn Calves ♥ Safe for newborn calves if dam vaccinated prebreeding according to label ● Safe for pregnant cow if vaccinated prebreeding according to label ♥ Safe for pregnant cows or calves nursing pregnant cows if females were vaccinated pre-breeding according to label																																																														
♦		Lepto Shield 5						X																												2 ml	IM	21 days																											
♦		Leptoferm-5						X																												2 ml	IM	21 days																											
♦		ReproSTAR L5 HB						X	X																											2 ml	SQ	60 days																											
♦		ReproSTAR VL5 HB						X	X	X																										2 ml	IM	60 days																											
■	♦	Spirovac						X																											2 ml	SQ	21 days																												
♦		Spirovac L5						X	X																											2 ml	IM, SQ	21 days																											
■	♦	Spirovac VL5						X	X	X																									5 ml	IM, SQ	21 days																												
♦		StayBred VL5						X		X																										2 ml	IM	21 days																											
♦		VL5 SQ						X	X	X																										2 ml	SQ	21 days																											
♦		Vib Shield Plus L5						X		X																										2 ml	IM	60 days																											
Pinkeye																																																																	
♦		20/20 Vision 7 with SPUR																		X							X								2 ml	SQ	21 days																												
■	♦	Alpha-7/MB-1																	X								X								2 ml	SQ	60 days																												
♦		I-Site XP																										X								2 ml	SQ	21 days																											
■	♦	Moraxella Bovoculi Bacterin - AgriLabs																										X							2 ml	SQ	21 days																												
■	♦	Moraxella Bovoculi Bacterin - Merck																										X								2 ml	SQ	21 days																											
♦		Ocu-guard MB-1																									X									2 ml	SQ	21 days																											
■	♦	Piliguard Pinkeye-1 TRIVALENT																									X								2 ml	IM, SQ	60 days																												
♦		Piliguard Pinkeye +7																		X							X								5 ml	SQ	21 days																												
♦		Pinkeye Shield XT4																									X									2 ml	IM	60 days																											
♦		Solidbac Pinkeye IR/PR																									X								--	SQ	21 days																												
Scours																																																																	
■		Bovilis Coronavirus													X																				2 ml	IN	21 days																												
♦		Bovilis Guardian												X	X	X		X																		2 ml	SQ	60 days																											
♦		Bovine Pili Shield+C												X				X																		1 ml	IM	60 days																											
■	♦	Calf-Guard													L	L																			3 ml	O	21 days																												
■		First Defense Boluses												X	X																					1 bol	O	0 days																											
■		First Defense Dual-Force												X	X																					1 ds	O	0 days																											
■		First Defense Technology Concentrate												X	X																				1 scp	O	0 days																												
■		First Defense Tri-Shield												X	X	X																				1 ds	O	0 days																											
♦		Scour Bos 4													X	X																				2 ml	IM	60 days																											
♦		Scour Bos 9													X	X	X		X																	2 ml	IM	60 days																											
♦		ScourGuard 4K													X	X	X																			2 ml	IM	21 days																											
♦		ScourGuard 4KC													X	X	X		X																	2 ml	IM	21 days																											
Mastitis Prevention																																																																	
♦		Bovilis J-5													X																				5 ml	SQ	60 days																												
♦		ENDOVAC-Beef										X	X	X				X																		2 ml	IM	21 days																											
♦		ENDOVAC-Dairy										X	X	X				X																		2 ml	IM	21 days																											
♦		Enviracor J-5													X																					5 ml	SQ	60 days																											
♦		J-Vac													X																					2 ml	IM, SQ	21 days																											
♦		Vaxxon SRP Klebsiella																												X						2 ml	SQ	60 days																											
Footrot & Warts																																																																	
♦		Fusogard																										X								2 ml	SQ	21 days																											
♦		Wart Vaccine																											X							10 ml	SQ	21 days																											
Tetanus																																																																	
♦		Tetanus Antitoxin																								X										5 ml	IM, SQ	21 days																											
♦		Tetanus Toxoid Concentrate																							X											1 ml	IM	21 days																											
Rabies																																																																	
♦		Imrab 3																													X				2 ml	IM, SQ	21 days																												
♦		IMRAB Large Animal																													X				2 ml	IM, SQ	21 days																												
♦		Nobivac 3-Rabies																													X				2 ml	IM	21 days																												